Journal of Applied Ecology 2001
38, 1380–1385

Index

STANDARD PAPERS

Abbott, I. *see* **Williams, M.R.**
Abramsky, Z. *see* **Shochat, E.**
Allen, L.R. & Sparkes, E.C. The effect of dingo control on sheep and beef cattle in Queensland, 76
Alonso, J.C. *see* **Lane, S.J.**
Alonso, J.C. *see* **Osborne, P.E.**
Andersen, A.N. *see* **Orgeas, J.**
Ash, J.E. *see* **Grigulis, K.**
Asteraki, E.J. *see* **Vickery, J.A.**
Atkinson, P.W. *see* **Vickery, J.A.**
Augustin, N.H., Cummins, R.P. & French, D.D. Exploring spatial vegetation dynamics using logistic regression and a multinomial logit model, 991
Aulagnier, S. *see* **Tourenq, C.**
Ausden, M., Sutherland, W.J. & James, R. The effects of flooding lowland wet grassland on soil macroinvertebrate prey of breeding wading birds, 320

Bacon, P. *see* **Robertson, A.I.**
Bainbridge, I.P. *see* **Tharme, A.P.**
Baines, D. *see* **Tharme, A.P.**
Baker, P.J., Harris, S., Robertson, C.P.J., Saunders, G. & White, P.C.L. Differences in the capture rate of cage-trapped red foxes *Vulpes vulpes* and an evaluation of rabies control measures in Britain, 823
Bakken, V. *see* **Bustnes, J.O.**
Balharry, D. *see* **Daniels, M.J.**
Ball, I. *see* **Lindenmayer, D.B.**
Barlow, N.D. *see* **Kean, J.M.**
Barratt, E. *see* **Daniels, M.J.**
Basset, Y., Charles, E., Hammond, D.S. & Brown, V.K. Short-term effects of canopy openness on insect herbivores in a rainforest in Guyana, 1045
Beaumont, M.A. *see* **Daniels, M.J.**
Bergman, K-O. Population dynamics and the importance of habitat management for conservation of the butterfly *Lopinga achine*, 1303
Beukema, J.J. *see* **Piersma, T.**
Bindu, J. *see* **Wall, R.**
Björn, L.O. *see* **Pahkala, M.**
Blaney, C.S. & Kotanen, P.M. Effects of fungal pathogens on seeds of native and exotic plants: a test using congeneric pairs, 1104
Borchers, D.L. *see* **Marques, F.F.C.**
Bourn, N.A.D. *see* **Stewart, K.E.J.**
Brain, P. *see* **Peacock, L.**
Bregnballe, T. *see* **Frederiksen, M.**
Bretagnolle, V. *see* **Wolff, A.**
Broad, R.A. *see* **Whitfield, D.P.**
Brousseau, P. *see* **Guillemette, M.**
Brown, J.A. *see* **Tuyttens, F.A.M.**
Brown, V.K. *see* **Basset, Y.**
Brown, V.K. *see* **Vickery, J.A.**
Bryant, R.G. *see* **Osborne, P.E.**
Buckingham, D.L. *see* **Donald, P.F.**
Buckland, S.M., Thompson, K., Hodgson, J.G. & Grime, J.P. Grassland invasions: effects of manipulations of climate and management, 301
Buckland, S.T. *see* **Marques, F.F.C.**
Bühler, C. & Schmid, B. The influence of management regime and altitude on the population structure of *Succisa pratensis*: implications for vegetation monitoring, 689
Bullock, J.M., Franklin, J., Stevenson, M.J., Silvertown, J., Coulson, S.J., Gregory, S.J. & Tofts, R. A plant trait analysis of responses to grazing in a long-term experiment, 253
Bullock, J.M. *see* **Coulson, S.J.**
Bustnes, J.O., Bakken, V., Erikstad, K.E., Mehlum, F. & Skaare, J.U. Patterns of incubation and nest-site attentiveness in relation to organochlorine (PCB) contamination in glaucous gulls, 791

Cabido, M. *see* **Diaz, S.**
Caldow, R.W.G. *see* **Stillman, R.A.**
Caley, P. & Ramsey, D. Estimating disease transmission in wildlife, with emphasis on leptospirosis and bovine tuberculosis in possums, and effects of fertility control, 1362
Campbell, S.T. *see* **Smith, A.A.**
Charles, E. *see* **Basset, Y.**
Cheeseman, C.L. *see* **Smith, G.C.**
Cheeseman, C.L. *see* **Tuyttens, F.A.M.**
Cherry, K. *see* **Pearce, J.L.**
Chruszcz, B. *see* **Clevenger, A.P.**
Clergeau, P., Jokimäki, J. & Savard, J.-P.L. Are urban bird communities influenced by the bird diversity of adjacent landscapes? 1122
Clevenger, A.P., Chruszcz, B. & Gunson, K. Drainage culverts as habitat linkages and factors affecting passage by mammals, 1340
Clifton-Hadley, R.S. *see* **Smith, G.C.**
Coulson, S.J. *see* **Bullock, J.M.**
Coulson, S.J., Bullock, J.M., Stevenson, M.J. & Pywell, R.F. Colonization of grassland by sown species: dispersal vs. microsite limitation in responses to management, 204
Cowan, D.P. *see* **Langton, S.D.**
Cowling, R.M. *see* **Higgins, S.I.**
Crick, H.Q.P. *see* **Robinson, R.A.**
Croxall, J.P. *see* **Tuck, G.N.**
Cummins, R.P. *see* **Augustin, N.H.**

Daniels, M.J., Beaumont, M.A., Johnson, P.J., Balharry, D., Macdonald, D.W. & Barratt, E. Ecology and genetics of wild-living cats in the north-east of Scotland and the implications for the conservation of the wildcat, 146
Davis, A.J., Holloway, J.D., Huijbregts, H., Krikken, J., Kirk-Spriggs, A.H. & Sutton, S.L. Dung beetles as

© 2001 British Ecological Society

Journal of Applied Ecology 2001
38, 1380–1385

Index

STANDARD PAPERS

Abbott, I. *see* **Williams, M.R.**
Abramsky, Z. *see* **Shochat, E.**
Allen, L.R. & Sparkes, E.C. The effect of dingo control on sheep and beef cattle in Queensland, 76
Alonso, J.C. *see* **Lane, S.J.**
Alonso, J.C. *see* **Osborne, P.E.**
Andersen, A.N. *see* **Orgeas, J.**
Ash, J.E. *see* **Grigulis, K.**
Asteraki, E.J. *see* **Vickery, J.A.**
Atkinson, P.W. *see* **Vickery, J.A.**
Augustin, N.H., Cummins, R.P. & French, D.D. Exploring spatial vegetation dynamics using logistic regression and a multinomial logit model, 991
Aulagnier, S. *see* **Tourenq, C.**
Ausden, M., Sutherland, W.J. & James, R. The effects of flooding lowland wet grassland on soil macroinvertebrate prey of breeding wading birds, 320

Bacon, P. *see* **Robertson, A.I.**
Bainbridge, I.P. *see* **Tharme, A.P.**
Baines, D. *see* **Tharme, A.P.**
Baker, P.J., Harris, S., Robertson, C.P.J., Saunders, G. & White, P.C.L. Differences in the capture rate of cage-trapped red foxes *Vulpes vulpes* and an evaluation of rabies control measures in Britain, 823
Bakken, V. *see* **Bustnes, J.O.**
Balharry, D. *see* **Daniels, M.J.**
Ball, I. *see* **Lindenmayer, D.B.**
Barlow, N.D. *see* **Kean, J.M.**
Barratt, E. *see* **Daniels, M.J.**
Basset, Y., Charles, E., Hammond, D.S. & Brown, V.K. Short-term effects of canopy openness on insect herbivores in a rainforest in Guyana, 1045
Beaumont, M.A. *see* **Daniels, M.J.**
Bergman, K-O. Population dynamics and the importance of habitat management for conservation of the butterfly *Lopinga achine*, 1303
Beukema, J.J. *see* **Piersma, T.**
Bindu, J. *see* **Wall, R.**
Björn, L.O. *see* **Pahkala, M.**
Blaney, C.S. & Kotanen, P.M. Effects of fungal pathogens on seeds of native and exotic plants: a test using congeneric pairs, 1104
Borchers, D.L. *see* **Marques, F.F.C.**
Bourn, N.A.D. *see* **Stewart, K.E.J.**
Brain, P. *see* **Peacock, L.**
Bregnballe, T. *see* **Frederiksen, M.**
Bretagnolle, V. *see* **Wolff, A.**
Broad, R.A. *see* **Whitfield, D.P.**
Brousseau, P. *see* **Guillemette, M.**
Brown, J.A. *see* **Tuyttens, F.A.M.**
Brown, V.K. *see* **Basset, Y.**
Brown, V.K. *see* **Vickery, J.A.**
Bryant, R.G. *see* **Osborne, P.E.**
Buckingham, D.L. *see* **Donald, P.F.**
Buckland, S.M., Thompson, K., Hodgson, J.G. & Grime, J.P. Grassland invasions: effects of manipulations of climate and management, 301
Buckland, S.T. *see* **Marques, F.F.C.**
Bühler, C. & Schmid, B. The influence of management regime and altitude on the population structure of *Succisa pratensis*: implications for vegetation monitoring, 689
Bullock, J.M., Franklin, J., Stevenson, M.J., Silvertown, J., Coulson, S.J., Gregory, S.J. & Tofts, R. A plant trait analysis of responses to grazing in a long-term experiment, 253
Bullock, J.M. *see* **Coulson, S.J.**
Bustnes, J.O., Bakken, V., Erikstad, K.E., Mehlum, F. & Skaare, J.U. Patterns of incubation and nest-site attentiveness in relation to organochlorine (PCB) contamination in glaucous gulls, 791

Cabido, M. *see* **Diaz, S.**
Caldow, R.W.G. *see* **Stillman, R.A.**
Caley, P. & Ramsey, D. Estimating disease transmission in wildlife, with emphasis on leptospirosis and bovine tuberculosis in possums, and effects of fertility control, 1362
Campbell, S.T. *see* **Smith, A.A.**
Charles, E. *see* **Basset, Y.**
Cheeseman, C.L. *see* **Smith, G.C.**
Cheeseman, C.L. *see* **Tuyttens, F.A.M.**
Cherry, K. *see* **Pearce, J.L.**
Chruszcz, B. *see* **Clevenger, A.P.**
Clergeau, P., Jokimäki, J. & Savard, J.-P.L. Are urban bird communities influenced by the bird diversity of adjacent landscapes? 1122
Clevenger, A.P., Chruszcz, B. & Gunson, K. Drainage culverts as habitat linkages and factors affecting passage by mammals, 1340
Clifton-Hadley, R.S. *see* **Smith, G.C.**
Coulson, S.J. *see* **Bullock, J.M.**
Coulson, S.J., Bullock, J.M., Stevenson, M.J. & Pywell, R.F. Colonization of grassland by sown species: dispersal vs. microsite limitation in responses to management, 204
Cowan, D.P. *see* **Langton, S.D.**
Cowling, R.M. *see* **Higgins, S.I.**
Crick, H.Q.P. *see* **Robinson, R.A.**
Croxall, J.P. *see* **Tuck, G.N.**
Cummins, R.P. *see* **Augustin, N.H.**

Daniels, M.J., Beaumont, M.A., Johnson, P.J., Balharry, D., Macdonald, D.W. & Barratt, E. Ecology and genetics of wild-living cats in the north-east of Scotland and the implications for the conservation of the wildcat, 146
Davis, A.J., Holloway, J.D., Huijbregts, H., Krikken, J., Kirk-Spriggs, A.H. & Sutton, S.L. Dung beetles as

© 2001 British Ecological Society

indicators of change in the forests of northern Borneo, 593
Dekinga, A. *see* **Piersma, T.**
Dekker, R. *see* **Piersma, T.**
DeNardo, C. *see* **Innovations**
Diaz, S. *see* **Priority Contributions**
Di Giulio, M., Edwards, P.J. & Meister, E. Enhancing insect diversity in agricultural grasslands: the roles of management and landscape structure, 310
Dixon, C.E. *see* **Marques, F.F.C.**
Donald, P.F., Buckingham, D.L., Moorcroft, D., Muirhead, L.B., Evans, A.D. & Kirby, W.B. Habitat use and diet of skylarks *Alauda arvensis* wintering on lowland farmland in southern Britain, 536
Dougherty, M. *see* **DeNardo, C.**
Drielsma, M. *see* **Pearce, J.L.**
Durell, S.E.A. le V. dit *see* **Stillman, R.A.**
Durieux, L. *see* **Tourenq, C.**
Dzwonko, Z. Assessment of light and soil conditions in ancient and recent woodlands by Ellenberg indicator values, 942

Eadie, J.M. *see* **Hogg, I.D.**
Edwards, P.J. *see* **Di Giulio, M.**
Elmqvist, T. *see* **Liow, L.H.**
Ens, B.J. *see* **Stillman, R.A.**
Erikstad, K.E. *see* **Bustnes, J.O.**
Essink, K. *see* **Piersma, T.**
Evans, A.D. *see* **Donald, P.F.**
Evans, R.J. *see* **Whitfield, D.P.**

Fawcett, T. *see* **Tuyttens, F.A.M.**
Feber, R.E. *see* **Vickery, J.A.**
Fernandez Garcia, A. *see* **Thomas, C.F.G.**
Ferrier, S. *see* **Pearce, J.L.**
Fielding, A.H. *see* **Whitfield, D.P.**
Franklin, J. *see* **Bullock, J.M.**
Frederiksen, M., Lebreton, J.-D. & Bregnballe, T. The interplay between culling and density-dependence in the great cormorant: a modelling approach, 617
French, D.D. *see* **Augustin, N.H.**
French, J. *see* **Hulbert, I.A.R.**
Froud-Williams, R.J. *see* **Semere, T.**
Fuller, R.J. *see* **Vickery, J.A.**

Garshelis, D.L. & Johnson, C.B. Sea otter population dynamics and the *Exxon Valdez* oil spill: disentangling the confounding effects, 19
Gerwing, J.J. Testing liana cutting and controlled burning as silvicultural treatments for a logged forest in the eastern Amazon, 1264
Gill, A.M. *see* **McCarthy, M.A.**
Gill, J.A., Norris, K. & Sutherland, W.J. The effects of disturbance on habitat use by black-tailed godwits *Limosa limosa*, 846
Gillingham, M.P. *see* **Rea, R.V.**
Goffin, D. *see* **Marques, F.F.C.**
Goldstein, B. *see* **Letourneau, D.K.**
Goodell, K. *see* **Thomson, J.D.**
Goss-Custard, J.D. *see* **Stillman, R.A.**
Green, R.E. *see* **Tharme, A.P.**
Gregory, S.J. *see* **Bullock, J.M.**
Griepentrog, H.-W. *see* **Weiner, J.**
Griffiths, G.J.K. *see* **Thomas, C.F.G.**
Grigulis, K., Sheppard, A.W., Ash, J.E. & Groves, R.H. The comparative demography of the pasture weed *Echium plantagineum* between its native and invaded ranges, 281
Grime, J.P. *see* **Buckland, S.M.**
Groves, R.H. *see* **Grigulis, K.**
Guillemette, M. & Brousseau, P. Does culling predatory gulls enhance the productivity of breeding common terns? 1
Guisan, A. *see* **Jaberg, C.**
Gunson, K. *see* **Clevenger, A.P.**

Halffter, G. *see* **Moreno, C.E.**
Hall, D.G. *see* **Kenward, R.E.**
Hamilton, N.R. *see* **Jones, A.T.**
Hammond, D.S. *see* **Basset, Y.**
Harmer, R. The effect of plant competition and simulated summer browsing by deer on tree regeneration, 1094
Harris, S. *see* **Baker, P.J.**
Harwood, J.D., Sunderland, K.D. & Symondson, W.O.C. Living where the food is: web location by linyphiid spiders in relation to prey availability in winter wheat, 88
Hastie, G. *see* **DeNardo, C.**
Haworth, P.F. *see* **Whitfield, D.P.**
Hayes, M.J. *see* **Jones, A.T.**
Heagney, G. *see* **Robertson, A.I.**
Hegland, S.J., Van Leeuwen, M. & Oostermeijer, J.G.B. Population structure of *Salvia pratensis* in relation to vegetation and management of Dutch dry floodplain grasslands, 1277
Hendrick, R.L. *see* **Shan, J.**
Herrenschmidt, V. *see* **Stahl, P.**
Higgins, S.I., Richardson, D.M. & Cowling, R.M. Validation of a spatial simulation model of a spreading alien plant population, 571
Hill, R.L. *see* **Rees, M.**
Hodder, K.H. *see* **Kenward, R.E.**
Hodgson, J.G. *see* **Buckland, S.M.**
Hogg, I.D., Eadie, J.M., Williams, D.D. & Turner, D. Evaluating fluctuating asymmetry in a stream-dwelling insect as an indicator of low-level thermal stress: a large-scale field experiment, 1326
Holloway, J.D. *see* **Davis, A.J.**
Howard, J.J. *see* **Wall, R.**
Huijbregts, H. *see* **Davis, A.J.**
Humphry, R.W., Mortimer, M. & Marrs, R.H. The effect of plant density on the response of *Agrostemma githago* to herbicide, 1290
Hunt, L.P. Heterogeneous grazing causes local extinction of edible perennial shrubs: a matrix analysis, 238
Hunter, T. *see* **Peacock, L.**
Huth, A. *see* **Kammesheidt, L.**

© 2001 British Ecological Society,

Hulbert, I.A.R. *see* **Innovations**
Idiata, D. *see* **Walsh, P.D.**

Jaberg, C. & Guisan, A. Modelling the distribution of bats in relation to landscape structure in a temperate mountain environment, 1169
Jackson, D.B. Experimental removal of introduced hedgehogs improves wader nest success in the Western Isles, Scotland, 802
James, R. *see* **Ausden, M.**
Jansen, A. & Robertson, A.I. Relationships between livestock management and the ecological condition of riparian habitats along an Australian floodplain river, 63
Johnson, A. *see* **Tourenq, C.**
Johnson, A.R. *see* **Tavecchia, G.**
Johnson, C.B. *see* **Garshelis, D.L.**
Johnson, P.J. *see* **Daniels, M.J.**
Johnstone, I.G. *see* **Stillman, R.A.**
Jokimäki, J. *see* **Clergeau, P.**
Jones, A.T., Hayes, M.J., Sackville, N.R. & Hamilton, N.R. The effect of provenance on the performance of *Crataegus monogyna* in hedges, 952

Kammesheidt, L., Köhler, P. & Huth, A. Sustainable timber harvesting in Venezuela: a modelling approach, 756
Kean, J.M. & Barlow, N.D. A spatial model for the successful biological control of *Sitona discoideus* by *Microctonus aethiopoides*, 162
Kenward, R.E., Hall, D.G., Walls, S.S. & Hodder, K.H. Factors affecting predation by buzzards *Buteo buteo* on released pheasants *Phasianus colchicus*, 813
Kirby, W.B. *see* **Donald, P.F.**
Kirk-Spriggs, A.H. *see* **Davis, A.J.**
Kluth, S., Kruess, A. & Tscharntke, T. Interactions between the rust fungus *Puccinia punctiformis* and ectophagous and endophagous insects on creeping thistle, 548
Köhler, P. *see* **Kammesheidt, L.**
Koolhaas, A. *see* **Piersma, T.**
Kotanen, P.M. *see* **Blaney, C.S.**
Kovacs, K.M. *see* **Thompson, P.M.**
Kozlov, M.V. *see* **Valkama, J.**
Krikken, J. *see* **Davis, A.J.**
Kristensen, L. *see* **Weiner, J.**
Kruess, A. *see* **Kluth, S.**

Landis, D.A. *see* **Lee, J.C.**
Lane, S.J., Alonso, J.C. & Martín, C.A. Habitat preferences of great bustard *Otis tarda* flocks in the arable steppes of central Spain: are potentially suitable areas unoccupied? 193
Langton, S.D., Cowan, D.P. & Meyer, A.N. The occurrence of commensal rodents in dwellings as revealed by the 1996 English House Condition Survey, 699
Laurila, A. *see* **Pahkala, M.**
Leaper, R. *see* **DeNardo, C.**
Lebreton, J.-D. *see* **Tavecchia, G.**
Lebreton, J.-D. *see* **Frederiksen, M.**
Leckie, F.M. *see* **Redpath, S.M.**
Lee, J.C., Menalled, F.D. & Landis, D.A. Refuge habitats modify impact of insecticide disturbance on carabid beetle communities, 472
Leirs, Chr *see* **Stenseth, N.Chr**
Lek, S. *see* **Tourenq, C.**
Letourneau, D.K. & Goldstein, B. Pest damage and arthropod community structure in organic vs. conventional tomato production in California, 557
Liddelow, G.L. *see* **Williams, M.R.**
Lindenmayer, D.B., Ball, I., Possingham, H.P., McCarthy, M.A. & Pope, M.L. A landscape-scale test of the predictive ability of a spatially explicit model for population viability analysis, 36
Lindgren, P.M.F. *see* **Sullivan, T.P.**
Liow, L.H., Sodhi, N.S. & Elmqvist, T. Bee diversity along a disturbance gradient in tropical lowland forests of south-east Asia, 180
Long, B. *see* **Tuyttens, F.A.M.**

Macdonald, D.W. *see* **Daniels, M.J.**
Macdonald, D.W. *see* **Tuyttens, F.A.M.**
Maisels, F. *see* **Walsh, P.D.**
Manel, S., Williams, H.C. & Ormerod, S.J. Evaluating presence–absence models in ecology: the need to account for prevalence, 921
Marques, F.F.C., Buckland, S.T., Goffin, D., Dixon, C.E., Borchers, D.L., Mayle, B.A. & Peace, A.J. Estimating deer abundance from line transect surveys of dung: sika deer in southern Scotland, 349
Marrs, R.H. *see* **Humphry, R.W.**
Marshall, E.J.P. *see* **Thomas, C.F.G.**
Martín, C.A. *see* **Lane, S.J.**
Martin, J.-L. *see* **Tourenq, C.**
Martin, J.-L. *see* **Wolff, A.**
Martin, S.J. The role of *Varroa* and viral pathogens in the collapse of honey bee colonies: a modelling approach, 1082
Mayle, B.A. *see* **Marques, F.F.C.**
Mbina, C. *see* **Walsh, P.D.**
McCarthy, M.A. *see* **Lindenmayer, D.B.**
McCarthy, M.A., Possingham, H.P. & Gill, A.M. Using stochastic dynamic programming to determine optimal fire management for *Banksia ornata*, 585
McCulloch, N. & Norris, K. Diagnosing the cause of population changes: localized habitat change and the decline of the endangered St Helena wirebird, 771
McGrorty, S. *see* **Stillman, R.A.**
McLeod, D.R.A. *see* **Whitfield, D.P.**
Mehlum, F. *see* **Bustnes, J.O.**
Meister, E. *see* **Di Giulio, M.**
Mellican, A.E. *see* **Williams, M.R.**
Menalled, F.D. *see* **Lee, J.C.**
Mercelis, H. *see* **Stenseth, N.**
Merilä, J. *see* **Pahkala, M.**
Mesléard, F. *see* **Tourenq, C.**
Meyer, A.N. *see* **Langton, S.D.**

© 2001 British Ecological Society,

Migot, P. *see* **Stahl, P.**
Mihindou, Y. *see* **Walsh, P.D.**
Møller, A.P. The effect of dairy farming on barn swallow *Hirundo rustica* abundance, distribution and reproduction, 378
Mondain-Monval, J.-Y. *see* Tavecchia, G.
Moorcroft, D. *see* **Donald, P.F.**
Moreno, C.E. *see* **Forum Papers**
Morris, L.A. *see* **Shan, J.**
Mortimer, M. *see* **Humphry, R.W.**
Muirhead, L.B. *see* **Donald, P.F.**
Mwanjabe, S. *see* **Stenseth, N.Chr.**

Norbury, G. Conserving dryland lizards by reducing predator-mediated apparent competition and direct competition with introduced rabbits, 1350
Norris, K. *see* **Gill, J.A.**
Norris, K. *see* **McCulloch, N.**
Norris, K.J. *see* **Stillman, R.A.**
Noy-Meir, I. *see* **Diaz, S.**

O'Brien, M. *see* **Tharme, A.P.**
O'Connor, T.G. Effect of small catchment dams on downstream vegetation of a seasonal river in semi-arid African savanna, 1314
O'Connor, T.G. *see* **Roques, K.G.**
Oba, G., Vetaas, O.R. & Stenseth, N.Chr. Relationships between biomass and plant species richness in arid-zone grazing lands, 836
Oostermeijer, J.G.B. *see* **Hegland, S.J.**
Orgeas, J. & Andersen, A.N. Fire and biodiversity: responses of grass-layer beetles to experimental fire regimes in an Australian tropical savanna, 49
Ormerod, S.J. *see* **Manel, S.**
Ormerod, S.J. *see* **Watkinson, A.R.**
Osborne, P.E., Alonso, J.C. & Bryant, R.G. Modelling landscape-scale habitat use using GIS and remote sensing: a case study with great bustards, 458

Pahkala, M., Laurila, A., Björn, L.O. & Merilä, J. Effects of ultraviolet-B radiation and pH on early development of the moor frog *Rana arvalis*, 628
Palomares, F. Vegetation structure and prey abundance requirements of the Iberian lynx: implications for the design of reserves and corridors, 9
Parkinson, L. *see* **Thomas, C.F.G.**
Patterson, I.J. The use of nitrogen fertilizer on alternative grassland feeding refuges for pink-footed geese in spring, 637
Paul, J.-P. *see* **Wolff, A.**
Peace, A.J. *see* **Marques, F.F.C.**
Peacock, L., Hunter, T., Turner, H. & Brain, P. Does host genotype diversity affect the distribution of insect and disease damage in willow cropping systems? 1070
Pearce, J.L., Cherry, K., Drielsma, M., Ferrier, S. & Whish, G. Incorporating expert opinion and fine-scale vegetation mapping into statistical models of faunal distribution, 412
Piersma, T., Koolhaas, A., Dekinga, A., Beukema, J.J., Dekker, R. & Essink, K. Long-term indirect effects of mechanical cockle-dredging on intertidal bivalve stocks in the Wadden Sea, 976
Pinshow, B. *see* **Shochat, E.**
Polacheck, T. *see* **Tuck, G.N.**
Pope, M.L. *see* **Lindenmayer, D.B.**
Port, G.R. *see* **Shirley, M.D.F.**
Possingham, H.P. *see* **Lindenmayer, D.B.**
Possingham, H.P. *see* **McCarthy, M.A.**
Pradel, R. *see* **Tavecchia, G.**
Pywell, R.F. *see* **Coulson, S.J.**

Ramsey, D. *see* **Caley, P.**
Rea, R.V. & Gillingham, M.P. The impact of the timing of brush management on the nutritional value of woody browse for moose *Alces alces*, 710
Redpath, S.M. *see* **Smith, A.A.**
Redpath, S.M. *see* **Priority Contributions**
Rees, M. & Hill, R.L. Large-scale disturbances, biological control and the dynamics of gorse populations, 364
Richardson, D.M. *see* **Higgins, S.I.**
Robertson, A.I. *see* **Jansen, A.**
Robertson, A.I., Bacon, P. & Heagney, G. The responses of floodplain primary production to flood frequency and timing, 126
Robertson, A.W. *see* **Standish, R.J.**
Robertson, C.P.J. *see* **Baker, P.J.**
Robinson, R.A., Wilson, J.D. & Crick, H.Q.P. The importance of arable habitat for farmland birds in grassland landscapes, 1059
Roddam, A.W. *see* **Tuyttens, F.A.M.**
Roques, K.G., O'Connor, T.G. & Watkinson, A.R. Dynamics of shrub encroachment in an African savanna: relative influences of fire, herbivory, rainfall and density dependence, 268
Rushton, S.P. *see* **Shirley, M.D.F.**

Sackville, N.R. *see* **Jones, A.T.**
Saunders, G. *see* **Baker, P.J.**
Savard, J.-P.L. *see* **Clergeau, P.**
Schmid, B. *see* **Bühler, C.**
Schneider, M.F. Habitat loss, fragmentation and predator impact: spatial implications for prey conservation, 720
Schultz, C.B. Restoring resources for an endangered butterfly, 1007
Sedgeley, J.A. Quality of cavity microclimate as a factor influencing selection of maternity roosts by a tree-dwelling bat, *Chalinolobus tuberculatus*, in New Zealand, 425
Semere, T. & Froud-Williams, R.J. The effect of pea cultivar and water stress on root and shoot competition between vegetative plants of maize and pea, 137
Shan, J., Morris, L.A. & Hendrick, R.L. The effects of management on soil and plant carbon sequestration in slash pine plantations, 932
Sheppard, A.W. *see* **Grigulis, K.**

© 2001 British Ecological Society,

Sheppard, A.W., Smyth, M.J. & Swirepik, A. The impact of root-crown weevil and pasture competition on the winter annual *Echium plantagineum*, 291

Shirley, M.D.F., Rushton, S.P., Young, A.G. & Port, G.R. Simulating the long-term dynamics of slug populations: a process-based modelling approach for pest control, 401

Shochat, E., Abramsky, Z. & Pinshow, B. Breeding birds species diversity in the Negev: effects of scrub fragmentation by planted forests, 1135

Silvertown, J. *see* **Bullock, J.M.**

Skaare, J.U. *see* **Bustnes, J.O.**

Skinner, A. *see* **Tuyttens, F.A.M.**

Smith, A.A., Redpath, S.M., Campbell, S.T. & Thirgood, S.J. Meadow pipits, red grouse and the habitat characteristics of managed grouse moors, 390

Smith, G.C., Cheeseman, C.L., Clifton-Hadley, R.S. & Wilkinson, D. A model of bovine tuberculosis in the badger *Meles meles*: an evaluation of control strategies, 509

Smith, G.C., Cheeseman, C.L., Wilkinson, D. & Clifton-Hadley, R.S. A model of bovine tuberculosis in the badger *Meles meles*: the inclusion of cattle and the use of a live test, 520

Smyth, M.J. *see* **Sheppard, A.W.**

Sodhi, N.S. *see* **Liow, L.H.**

Sparkes, E.C. *see* **Allen, L.R.**

Stahl, P., Vandel, J.M., Herrenschmidt, V. & Migot, P. Predation on livestock by an expanding reintroduced lynx population: long-term trend and spatial variability, 674

Standish, R.J., Robertson, A.W. & Williams, P.A. The impact of an invasive weed *Tradescantia fluminensis* on native forest regeneration, 1253

Stenseth, N.Chr., Leirs, H, Mercelis, S. & Mwanjabe, P. Comparing strategies for controlling an African pest rodent: an empirically based theoretical study, 1020

Stenseth, N.Chr. *see* **Oba, G.**

Stevenson, M.J. *see* **Bullock, J.M.**

Stevenson, M.J. *see* **Coulson, S.J.**

Stewart, K.E.J. *see* **Innovations**

Stillman, R.A., Goss-Custard, J.D., West, A.D., Durell, S.E.A. le V. dit, McGrorty, S., Caldow, R.W.G., Norris, K.J., Johnstone, I.G., Ens, B.J., Van Der Meer, J. & Triplet, P. Predicting shorebird mortality and population size under different regimens of shellfishery management, 857

Sullivan, T.P., Sullivan, D.S. & Lindgren, P.M.F. Influence of variable retention harvests on forest ecosystems. I. Diversity of stand structure, 1221

Sullivan, T.P. & Sullivan, D.S. Influence of variable retention harvests on forest ecosystems. II. Diversity and population dynamics of small mammals, 1234

Sullivan, D.S. *see* **Sullivan, T.P.**

Sunderland, K.D. *see* **Harwood, J.D.**

Sutherland, W.J. *see* **Ausden, M.**

Sutherland, W.J. *see* **Gill, J.A.**

Sutton, S.L. *see* **Davis, A.J.**

Swirepik, A. *see* **Sheppard, A.W.**

Symondson, W.O.C. *see* **Harwood, J.D.**

Tallowin, J.R. *see* **Vickery, J.A.**

Tavecchia, G., Pradel, R., Lebreton, J.-D., Johnson, A.R. & Mondain-Monval, J.-Y. The effect of lead exposure on survival of adult mallards in the Camargue, southern France, 1197

Tharme, A.P., Green, R.E., Baines, D., Bainbridge, I.P. & O'Brien, M. The effect of management for red grouse shooting on the population density of breeding birds on heather-dominated moorland, 439

Thibault, M. *see* **Walsh, P.D.**

Thirgood, S.J. *see* **Redpath, S.M.**

Thirgood, S.J. *see* **Smith, A.A.**

Thomas, C.F.G., Parkinson, L., Griffiths, G.J.K., Fernandez Garcia, A. & Marshall, E.J.P. Aggregation and temporal stability of carabid beetle distributions in field and hedgerow habitats, 100

Thomas, J.A. *see* **Stewart, K.E.J.**

Thomas, J.D. Particle selection by snail hosts of human schistosomes in relation to their survival strategies and possible control by 'environmental antibodies', 736

Thompson, K. *see* **Buckland, S.M.**

Thompson, P.M., Van Parijs, S. & Kovacs, K.M. Local declines in the abundance of harbour seals: implications for the designation and monitoring of protected areas, 117

Thompson, P.M. *see* **DeNardo, C.**

Thomson, J.D. & Goodell, K. Pollen removal and deposition of honeybee and bumblebee visitors to apple and almond flowers, 1032

Tofts, R. *see* **Bullock, J.M.**

Tourenq, C., Aulagnier, S., Durieux, L., Lek, S., Mesléard, F., Johnson, A. & Martin, J.-L. Identifying rice fields at risk from damage by the greater flamingo, 170

Triplet, P. *see* **Stillman, R.A.**

Tscharntke, T. *see* **Kluth, S.**

Tuck, G.N., Polacheck, T., Croxall, J.P. & Weimerskirch, H. Modelling the impact of fishery by-catches on albatross populations, 1182

Turner, D. *see* **Hogg, I.D.**

Turner, H. *see* **Peacock, L.**

Tuyttens, F.A.M., Long, B., Fawcett, T., Skinner, A., Brown, J.A., Cheeseman, C.L., Roddam, A.W. & Macdonald, D.W. Estimating group size and population density of Eurasian badgers *Meles meles* by quantifying latrine use, 1114

Valkama, J. & Kozlov, M.V. Impact of climatic factors on developmental stability of mountain birch growing in a contaminated area, 665

Van Der Meer, J. *see* **Stillman, R.A.**

Van Leeuwen, M. *see* **Hegland, S.J.**

Van Parijs, S. *see* **Thompson, P.M.**

Vandel, J.M. *see* **Stahl, P.**

Vellios, C. *see* **Williams, M.R.**

Vesk, P.A. & Westoby, M. Predicting plant species' responses to grazing, 897

© 2001 British Ecological Society,

Vetaas, O.R. *see* **Oba, G.**
Vickery, J.A., Tallowin, J.R., Feber, R.E., Asteraki, E.J., Atkinson, P.W., Fuller, R.J. & Brown, V.K. The management of lowland neutral grasslands in Britain: effects of agricultural practices on birds and their food resources, 647

Wall, R., Howard, J.J. & Bindu, J. The seasonal abundance of blowflies infesting drying fish in south-west India, 339
Walls, S.S. *see* **Kenward, R.E.**
Walsh, P.D. *see* **Forum Papers**
Watkinson, A.R. & Ormerod, S.J. Grasslands, grazing and biodiversity: editors' introduction, 233
Watkinson, A.R. *see* **Roques, K.G.**
Weimerskirch, H. *see* **Tuck, G.N.**
Weiner, J., Griepentrog, H.-W. & Kristensen, L. Suppression of weeds by spring wheat *Triticum aestivum* increases with crop density and spatial uniformity, 784
West, A.D. *see* **Stillman, R.A.**
Westoby, M. *see* **Vesk, P.A.**
Wheeler, I.B. *see* **Williams, M.R.**
Whish, G. *see* **Pearce, J.L.**
White, L.J.T. *see* **Walsh, P.D.**
White, P.C.L. *see* **Baker, P.J.**
Whitfield, D.P., McLeod, D.R.A., Fielding, A.H., Broad, R.A., Evans, R.J. & Haworth, P.F. The effects of forestry on golden eagles on the island of Mull, western Scotland, 1208
Wilkinson, D. *see* **Smith, G.C.**
Williams, D.D. *see* **Hogg, I.D.**
Williams, H.C. *see* **Manel, S.**
Williams, M.R., Abbott, I., Liddelow, G.L., Vellios, C., Wheeler, I.B. & Mellican, A.E. Recovery of bird populations after clearfelling of tall open eucalypt forest in Western Australia, 910
Williams, P.A. *see* **Standish, R.J.**
Wilson, B. *see* **DeNardo, C.**
Wilson, J.D. *see* **Robinson, R.A.**
Wolff, A., Paul, J.-P., Martin, J.-L. & Bretagnolle, V. The benefits of extensive agriculture to birds: the case of the little bustard, 963

Young, A.G. *see* **Shirley, M.D.F.**

FORUM PAPERS

Moreno, C.E. & Halffter, G. On the measure of sampling effort used in species accumulation curves, 488
Sackville Hamilton, N.R. Is local provenance important in habitat creation? A reply, 1374
Walsh, P.D., White, L.J.T., Mbina, C., Idiata, D., Mihindou, Y., Maisels, F. & Thibault, M. Estimates of forest elephant abundance: projecting the relationship between precision and effort, 217
Wilkinson, D.M. Is local provenance important in habitat creation? 1371
Willott, S.J. Species accumulation curves and the measure of sampling effort, 485

INNOVATIONS

DeNardo, C., Dougherty, M., Hastie, G., Leaper, R., Wilson, B. & Thompson, P.M. A new technique to measure spatial relationships within groups of free-ranging coastal cetaceans, 888
Gordon, J. Measuring the range to animals at sea from boats using photographic and video images, 879
Hulbert, I.A.R. & French, J. The accuracy of GPS for wildlife telemetry and habitat mapping, 869
Stewart, K.E.J., Bourn, N.A.D. & Thomas, J.A. An evaluation of three quick methods commonly used to assess sward height in ecology, 1148

PRIORITY CONTRIBUTIONS

Diaz, S., Noy-Meir, I. & Cabido, M. Can grazing response of herbaceous plants be predicted from simple vegetative traits? 497
Redpath, S.M., Thirgood, S.J. & Leckie, F.M. Does supplementary feeding reduce predation of red grouse by hen harriers?

© 2001 British Ecological Society,